

U4 current measurement

megawin
make you win

TH229A_MG32F02V032
LQFP32_EV_V11 2022.02


When J16 Open,
SW1 must be off.

Power Off Power On

J3 Open : Disable VCP.
J3 Short : Enable VCP.

67.00mm

104.00mm



TH229A_MG32F02V032
LQFP32_EV_V11 2022.02

U4 current measurement






When J16 Open, SW1 must be off.

Power Off Power On

J3 Open : Disable VCP.
J3 Short : Enable VCP.

67.00mm

104.00mm






megawin 笙泉科技股份有限公司
 make you win

http://www.megawin.com.tw TEL:886-3-5601501 FAX:886-3-5601510





Design by Title: TH229A_MG32F02V032_LQFP32_EV_V11
 Doc: 1_MLink_V11.SchDoc

Size: A4 Date: 2022/5/13 Sheet: 2 page Rev:

QFP122-PKT



Pin121/122 as Mechanical dummy pin



megawin 笙泉科技股份有限公司
<http://www.megawin.com.tw> TEL:886-3-5601501 FAX:886-3-5601510

Design by	Title : TH229A_MG32F02V032_LQFP32_EV_V11
Doc. :	2_MG32F02V032_V11.SchDoc
Size : A4	Date : 2022/5/13
Sheet : 2 page	Rev :